EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	1157516	(("361") or ("428") or ("165") or ("174") or ("257") or ("374")).QLAS.	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/03 13:20
L4 L5	0	heat source electr\$4 intermediate layer thermal\$2 conductive mass weight consist organic matrix nanofiber length thickness ratio (percent \$3) (micrometers) (viscous or liquid adj1 (state)) (pressure adj1 (surface or bar)) temperature embedded	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/03 13:28
	0	heat source electr\$4 intermediate layer thermal\$2 conductive mass weight consist organic matrix nanofiber length thickness ratio (percent \$3) (micrometers) (viscous or liquid adj1 (state)) (pressure adj1 (surface or bar)) temperature embedded.dm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/03 13:28
L6	1	heat source apparatus intermediate layer thermal\$2 conductive mass weight consist organic matrix nanofiber length thickness ratio (percent \$3) (micrometers) (viscous or liquid adj1 (state)) temperature embedded. clm.	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/03 13:29
L8	274110	3 (heat or thermal\$2) (sink or fin or conduct\$4) electr\$4	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/03 13:32

L9	5318	8 (nanofib\$4 or organic or carbon or graphite adj3 (matrix)) (matrix adj3 (liquid or phase or fluid or wet\$4 or visco\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/03 13:36
L10	773	9 (temperature adj2 (between))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/03 13:38
L11	21	10 (surface adj2 (pressure or bar))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/03 13:38
L12	22	10 (fiber adj2 (ratio or length thickness))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/03 13:39
L13	333	10 (oil or silicone or synthetic near (nanofiber or graphite or carbon))	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/03 13:40
L14	19	13 (organic adj 1 (matrix))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/03 13:41
L15	331	13 (surface or interface or intermediate near (bar or pressure))	US-PGPUB; USPAT; USOCR	AND	ON	2010/05/03 13:41
L16	0	15 (length adj1 (ratio)) (thickness adj1 (ratio)) (weight adj1 (mass))	US-PGPUB; USPAT; USOCR	AND	ON	2010/05/03 13:43

.17	0	15 (length adj2 (ratio)) (thickness adj2 (ratio)) (weight adj2 (mass))	US-PGPUB; USPAT; USOCR	AND	ON	2010/05/03 13:43
18	0	15 (length adj2 (thickness)) (ratio) (weight adj2 (mass))	US-PGPUB; USPAT; USOCR	AND	ON	2010/05/03 13:44
19	27	15 (length adj2 (thickness)) (ratio) (weight or mass)	US-PGPUB; USPAT; USOCR	AND	ON	2010/05/03 13:44
20	2	(12 (11 or 19))	US-PGPUB; USPAT; USOCR	AND	ON	2010/05/03 13:45
22	8643	361/220,226,704,705,706,707,708,709,710,717,719.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2010/05/03 13:53
23	6432	22 (heat or thermal\$2) (sink or fin or conduct\$4) electr\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/03 13:53
24	19	23 (nanofib\$4 or organic or carbon or graphite adj3 (matrix)) (matrix adj3 (liquid or phase or fluid or wet\$4 or visco\$4))	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/03 13:53
25	4	23 (fiber adj.2 (ratio or length thickness))	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/03 13:54
26	351	23 (temperature adj2 (between))	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/03 13:54

27	7	23 (organic adj1 (matrix))	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/03 13:54
28	5917	23 (surface or interface or intermediate near (bar or pressure))	US-PGPUB; USPAT; USOCR	AND	ON	2010/05/03 13:55
29	135	28 (nanofib\$4 or organic or carbon or graphite adj2 (organic or matrix or silicone or oil or synthetic)) visco\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/03 13:56
30	43	28 (nanofib\$4 or organic or carbon or graphite or nanofube or nanofibril adj2 (organic or matrix or silicone or oil or synthetic)) visco\$4 (weight or mass) length thickness ratio	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/03 13:57
1	42	((JURGEN) near2 (SCHULZ-HARDER)).INV.	US-PGPUB; USPAT; USOCR	AND	OFF	2008/01/29 13:19
2	19	((ERNST) near2 (HAMMEL)).INV.	US-PGPUB; USPAT; USOCR	AND	OFF	2008/01/29 13:22
4	175	"5965267" or "6156256" or "6384960" or "6407922" or "6542371" or "20030022428" or "20030039816"	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/01/29 13:29
1	57	S3 nanofiber\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/29 13:30

S5	55	S4 (heat or thermal\$2) (sink or fin or conduct\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/29 13:42
36	55	\$5 (electr\$4 or semiconductor or component or device)	US PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	AND	CN	2008/01/29 13:43
S7	0	S6 (organic adj1 matrix)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/29 13:44
38	16	S6 (oil or silicone)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/29 13:46
39	26	S6 (oil or silicone or synthetic near (nanofiber or graphite or carbon))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/29 13:46
310	59	S3 (oil or silicone or synthetic near (nanofiber or graphite or carbon))	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/29 13:47

S11	382	361/704.ccls. (oil or silicone or synthetic near (nanofiber or graphite or carbon))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/29 13:47
S12	1	S11 (organic adj1 matrix)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/29 13:47
S13	380	S11 (heat or thermal\$2) (sink or fin or conduct\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/29 13:48
514	377	\$13 (electr\$4 or semiconductor or component or device)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/29 13:48
315	5	("20040009353" "20050061496" "20050255304" "6350488" "6407922").PN. OR ("7291396").URPN.	US-PGPUB; USPAT; USOCR	AND	OFF	2008/01/29 13:57
316	52	("5316080" "5520976" "5958572" "5965267" "6060166" "6075701" "6131651").PN. CR ("6407922").URPN.	US-PGPUB; USPAT; USOCR	AND	OFF	2008/01/29 14:05
S17	0	("2006/0234056"), URPN.	USPAT	AND	OFF	2008/01/29 14:16
318	14	("20030077478" "20030117770" "5102824" "5316080" "5604037" "5825624" "5837081" "5965267" "5972265" "6312303" "6407922" "6630772" "6891724" "6921462"),PN. OR ("7180174"). URPN.	US-PGPUB; USPAT; USOCR	AND	OFF	2008/01/29 14:30
319	22	("20020105071" "20030117770" "20030135971" "20030179559" "20030231471" "20040005736" "20040150100" "20040265489" "20060054490" "5102824" "5316080" "5604037" "5825624" "5837081" "5965267" "5972265" "6312303" "6407922" "6504292" "6630772" "6651736" "6921462"). PN. OR ("7168484"). URPN.	US-PGPUB; USPAT; USOCR	AND	OFF	2008/01/29 14:32

\$20	3	("2003/0077478").URPN.	USPAT	AND	OFF	2008/01/29 14:33
21	7063	428/408,209.cds.	US-PGPUB; USPAT; USOCR	AND	OFF	2008/01/29 14:34
22	2619	165/185.ccls.	USPAT	AND	OFF	2008/01/29 14:34
23	1173	257/e23.11,675,e23.103.cds.	USPAT	AND	OFF	2008/01/29 14:34
24	1691	174/16.3.cds.	USPAT	AND	OFF	2008/01/29 14:34
\$25	43	(S21 or S22 or S23 or S24) nanofiber\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/29 14:36
326	22	\$25 (oil or silicone or synthetic near (nanofiber or graphite or carbon))	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/29 14:37
27	16	S26 (heat or thermal\$2) (sink or fin or conduct\$4)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/29 14:37
\$28	0	(10/670699).APP.	USPAT; USOCR	AND	OFF	2008/01/29 15:15
2 9	0	matabaya,jr.in.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/07/08 09:29

S30 S31	0	matabayas, jr. in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/07/08 09:29
831	6	matabayas.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/07/08 09:29
332	22	[("20020185770" "20030151030" "20040016912" "20040094750" "20040097635" "20040177451" "6265466" "6387996" "6451422" "6486253" "6764628").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/07/08 09:34
\$33	93	"6265466" or "2004001691 <i>2</i> "	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/07/11 16:45
334	406	361/704.ccls. (oil or silicone or synthetic near (nanofiber or graphite or carbon))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/11 17:09
\$35	7139	428/408,209.ccls.	US-PGPUB; USPAT; USOCR	AND	OFF	2008/07/11 17:09
336	2699	165/185.cds.	USPAT	AND	OFF	2008/07/11 17:09
337	1210	257/ e23.11,675,e23.103.cds.	USPAT	AND	OFF	2008/07/11 17:09
338	1727	174/16.3.ccls.	USPAT	AND	OFF	2008/07/11 17:09

\$39	32	(S35 or S36 or S37 or S38 or S34) nanofiber\$1 (organic or carbon adj1 matrix near (liquid or phase or fluid or wet\$4))	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/11 17:10
S40	38	("5547525" "5640705" "5853877").PN. OR ("6265466").URPN.	US-PGPUB; USPAT; USOCR	AND	OFF	2008/07/11 17:36
S41	1237	nanofiber\$1 (organic or carbon adj1 matrix near (liquid or phase or fluid or wet\$4)) (heat adj1 sink or (spreader or radiat\$3 or dissipat\$3 or transfer))	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/13 08:49
S42	162	nanofiber\$1 (organic or carbon adj1 matrix) near (liquid or phase or fluid or wet\$4)) (heat or thermal\$2 near (sink or (spreader or radiat\$3 or dissipat\$3 or transfer or conductiv\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/13 08:56
343	10	("5965267" "6156256" "6384960" "6407922" "6542371").PN.	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/13 09:22
S44	53	[("20040150100" "20050046017" "20050128705" "20060002086" "20060071326" "20060081886" "2006009885" "3481393" "5144531" "5309319" "5491363" "5859763" "6111749" "6166907" "6705393" "6796370" "6864571" "6888720" "6965513" "6967842" "7017654" "7156159" "7168484" "7301232" "7336487").PN.	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/07/16 11:57
\$45	30	("20030077478" "20030117770" "5102624" "5316080" "5604037" "5825624" "5837081" "5965257" "5965267" "5972265" "6312303" "6407922" "6630772" "6891724" "6921462").PN.	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/07/17 11:10
S46	17	("2003/0117770").URPN.	USPAT	AND	OFF	2008/07/17 14:53

\$47	14	"20030077478" "20030117770" "5102824" "5316080" "5604037" "5825624" "5837081" "5965267" "5972265" "6312303" "6407922" "6630772" "6891724" "6921462").PN.	US-PGPUB; USPAT; USOCR	AND	OFF	2008/07/17 14:54
548	153	(nanofiber near (thickness or ratio or length))	US-PGPUB; USPAT; USOCR	AND	ON	2008/07/18 14:18
349	42	S48 (intermediate or interface) (nm)	US-PGPUB; USPAT; USOCR	AND	ON	2008/07/18 14:20
50	152	\$48 (surface or interface or intermediate near (bar or pressure))	US-PGPUB; USPAT; USOCR	AND	ON	2008/07/18 15:06
351	152	S48 (surface or interface or intermediate near (bar))	US-PGPUB; USPAT; USOCR	AND	ON	2008/07/18 15:07
52	42	S48 (interface or intermediate near (bar))	US-PGPUB; USPAT; USOCR	AND	ON	2008/07/18 15:07
353	17525	(nanofiber or nanotube or matrix near (pressure))	US-PGPUB; USPAT; USOCR	AND	ON	2008/07/18 15:10
54	554	S53 (surface adj1 pressure)	US-PGPUB; USPAT; USOCR	AND	ON	2008/07/18 15:10
555	191	\$54 (intermediate or interface) (nm)	US-PGPUB; USPAT; USOCR	AND	ON	2008/07/18 15:11
56	0	S55 (heat ot thermal)	US-PGPUB; USPAT; USOCR	AND	ON	2008/07/18 15:11
57	185	\$55 (heat or thermal\$2)	US-PGPUB; USPAT; USOCR	AND	ON	2008/07/18 15:11
58	98	\$57 (bar)	US-PGPUB; USPAT; USOCR	AND	ON	2008/07/18 15:12
559	0	S58 (bar near (interface or intermediate))	US-PGPUB; USPAT; USOCR	AND	ON	2008/07/18 15:12
360	0	SS8 (bar near (layer or surface))	US-PGPUB; USPAT; USOCR	AND	ON	2008/07/18 15:12
361	70	*6407922"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/07/18 15:27

662	22	"("20020185770" "20030151030" "20040016912" "20040094750" "20040097635" "20040177451" "6265466" "6387996" "6451422" "6486253" "6764628").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/01/08 16:12
363	4023	(surface near (pressure)) (nanotube or nanofiber or carbon) electr\$4 (sink or fin or thermal\$2) heat	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/13 11:26
564	4024	(surface near (pressure)) (nanotube or nanofiber or carbon or graphite near (heat or thermal\$2)) electr\$4 (sink or fin or thermal\$2) heat	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/13 11:29
S65	4023	S64 (surface near (pressure)) (nanotube or nanofiber or carbon or graphite near (sink or fin or spreader))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/13 11:32
366	28	SS4 (surface near (pressure) near (nanotube or nanofiber or carbon or graphite or intermediate or transfer or spreader))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/13 11:34
S67	28	S84 (surface near (pressure) near (nanotube or nanofiber or carbon or graphite or intermediate or transfer or spreader)) (nanotube or nanofiber or carbon or graphite)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	AND	ON	2009/01/13 11:35

68	627	S64 (surface near (pressure)) (nanotube or nanofiber or nanostructure or nanorod or nanoribbon or carbon near (sink or fin or spreader))	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/13 11:40
69	8	S68 (surface near (pressure) near (nanotube or nanofiber or nanostructure or nanorod or nanoribbon or carbon or intermediate or transfer or spreader)) (nanotube or nanofiber or nanostructure or nanorod or nanoribbon or carbon)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/13 11:42
70	8	S68 (surface near (pressure) near (nanotube or nanowire or nanofiber or nanostructure or nanorod or nanoribbon or carbon or intermediate or transfer or spreader)) (nanotube or nanofiber or nanostructure or nanorod or nanoribbon or carbon)	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/13 11:42
771	86	"200201023986" "20020014667" "20020117659" "20020125192" "20020127495" "20020130311" "20020130353" "20020158342" "20020163079" "20020175408" "20030012723" "20030042562" "20030044777" "20030071246" "20030089899" "20030042562" "20030189202" "2004005258" "20040026684" "20040031975" "20040036126" "20040036128" "20040061422" "20040095658" "20040112964" "20040035951" "20040145560" "20050064618" "20050066883" "20050079659" "20050266662" "20050279274" "5196398" "5252835" "5274602" "5332910" "5338430" "5505926" "5512131" "5640343" "5674592" "5690807" "5751018" "5840435" "5858862" "5997832" "6004444" "6036774" "6048616" "6128214" "6136156" "6159742" "619634" "6207229" "6225198" "6325675" "6248674" "6256767" "65413489" "6348025" "6447663" "6471761" "6867647" "6586785" "698801017" "6773616" "6778000" "6815216" "6815750" "6831017" "6858455" "6872645" "6878871" "6882051"), PN. OR ("7105428"), UFPN.	US-PGPUB; USPAT; USOCR	AND	OFF	2009/01/13

S72	201	**5424054**	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/01/13 12:35
S73	109	("4663230" "5102647").PN. OR ("5424054").URPN.	US-PGPUB; USPAT; USOCR	AND	OFF	2009/01/13 12:37
 374	185	5077637" or "5224030" or "5316080" or "4849858" or "4867235"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/01/14 10:18
375	53	5077637"	US-PGPUB; USPAT; USOCR	AND	OFF	2009/01/14 10:18
576	166670	("361").Q.AS.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/06 12:44
S77	463	361/704.cds. (oil or silicone or synthetic near (nanofiber or graphite or carbon))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/10/06 12:47
S78	7382	428/408,209.ccls.	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/06 12:47
S79	2886	165/185.cds.	USPAT	AND	OFF	2009/10/06 12:47
380	1325	257/e23.11,675,e23.103.cols.	USPAT	AND	OFF	2009/10/06 12:47
381	1801	174/16.3.cds.	USPAT	AND	OFF	2009/10/06 12:47
382	294	(S76 or S78 or S79 or S80 or S81 or S77) (nanofib\$4 or organic or carbon or graphite adj3 (matrix)) (matrix adj3 (liquid or phase or fluid or wet\$4 or visco\$4))	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/10/06 12:47

S83	205	S82 (sink or thermal\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/10/06 12:48
S84	91	\$33 (temperature adj3 (above or room or liquid or phase or fluid or wet \$4 or visco\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/10/06 12:50
\$85	102	\$33 (temperature adj3 (above or higher or greater or room or liquid or phase or fluid or wet\$4 or visco\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/10/06 12:50
S86	36	S85 (temperature adj3 (between))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/10/06 12:51
\$87	2	"20050007740"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/10/06 13:29
\$88	3	"20030227959"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	AND	ON	2009/10/06 13:30

S89 S90	5946	361/220,226,704,708,709.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/10/06 15:38
	705	374/ 181.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/10/06 15:39
S91	22	(S89 or S90) (nanofib\$4 or organic or carbon or graphite adj3 (matrix)) (matrix adj3 (liquid or phase or fluid or wet\$4 or visco\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/10/06 15:39
S92	14	S91 (temperature adj3 (between))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/10/06 15:39
S93	13	S92 (sink or thermal\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/10/06 15:39
\$94	13	\$33 (temperature adj3 (above or room or liquid or phase or fluid or wet \$4 or visco\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/10/06 15:40

S95	"60791242"	US-PGPUB;		2009/10/06
3		USPAT;		16:03
3		USOCR; EPO;		
i		JPO;		
3		DERWENT;		
		IBM_TDB		

5/3/2010 1:57:59 PM

C:\ Documents and Settings\ CSmith7\ My Documents\ EAST\ Workspaces\ 10561433.wsp